

1. Identification of Substance:

Product Name: GreenSeal 2.8 HFC

Chemical Family: Water-borne Acrylic Coating
Field of Application: Silicone Coating for Roofing

Applications

Company Details: Green Shield Products

Address:

4008 Louetta Rd. Suite #464

Spring, TX 77388

Telephone:

1-877-GRN-SHLD 24-Hr. Emergency Response:

CHEMTREC (800) 424-9300

INTERNATIONAL: +1-(703) 527-3887

2. Hazards Identification

GHS Ratings:

Skin corrosive 2 Reversible adverse effects in dermal tissue, Draize score: >=

2.3 < 4.0 or persistent inflammation

Eye corrosive 1 Serious eye damage: Irreversible damage 21 days after

exposure, Draize score: Corneal opacity >= 3, Iritis >

Skin sensitizer 1 Skin sensitizer

Organ toxin repeated 2 Presumed to be harmful to human health- Animal studies

with significant toxic effects relevant to humans at

generally moderate exposure (guidance)- Human evidence

in exceptional cases.

GHS Hazards

exposure

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H318 Causes serious eye damage

H373 May cause damage to organs through prolonged or repeated exposure

GHS Precautions

P260 Do not breathe dust/fume/gas/mist/vapors/spray
P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P264 Wash hands thoroughly after handling

P272 Contaminated work clothing should not be allowed out of the workplace
P280 Wear protective gloves/protective clothing/eye protection/face protection

P310 Immediately call a POISON CENTER in case of overexposure.

P314 Get Medical advice/attention if you feel unwell

P321 Specific treatment is urgent (see Section 4 First Aid measures)

P362 Take off contaminated clothing and wash before reuse

P363 Wash contaminated clothing before reuse







P302+P352 IF ON SKIN: Wash with soap and water

P305+P351+P338 IF IN EYES: Rinse continuously with water for several minutes. Remove contact

lenses if present and easy to do - continue rinsing

P332+P313 If skin irritation occurs: Get medical advice/attention

P333+P313 If skin irritation or a rash occurs: Get medical advice/attention

P501 Dispose of contents/container in accordance with existing federal, state, and local

environmental control laws.

Signal Word: Danger



Acute Health Effects:

Eyes: Severe irritation, tearing, swelling, and possible damage to cornea.

Skin: Irritation, redness, swelling, skin sensitization, rash, scaling, and blistering.

Inhalation: Mucous membrane and respiratory tract irritation, tightness of chest, isocyanate sensitization.

Ingestion: Irritating and corrosive to mouth, stomach, and digestive tract.

Chronic Effects: Possible harmful target organ effects

3. Composition/information on ingredients:

Chemical Name	CAS number	Weight Concentration %
Oxirane, 2-methyl-, polymer with oxirane, ether with 2,6-bis[[bis(2-hydroxyethyl)amino]methyl]-4-branched nonylphenol	940912-28-7	20.00% - 30.00%
2-Propanol, 1-chloro-, phosphate (3:1)	13674-84-5	5.00% - 10.00%
1,1,1,3,3-Pentafluoropropane	460-73-1	5.00% - 10.00%
Triethyl phosphate	78-40-0	1.00% - 5.00%
2-(Dimethylamino)ethanol	108-01-0	1.00% - 5.00%
Diethylene glycol	111-46-6	1.00% - 5.00%







4. First Aid Measures:

Inhalation: If inhaled and symptoms ensue, move to fresh air. If breathing is difficult, give oxygen.

After Eye Contact: Rinse opened eye for at least 15 minutes under running water. Remove contact lenses if

present and easy to do so, and continue rinsing. If irritation persists contact physician

After Skin Contact: Clean affected area with soap and plenty of water.

After Swallowing: Consult physician. **Notes to Physician:** Treat symptomatically

5. Firefighting measures

Flash Point: >200 F, 93 C

LEL: N/A UEL: N/A

Upper and Lower Explosive Limits listed if known.

Suitable Extinguishing Agents: Water spray, CO2, Foam, Dry chemical

Information about Protection against Explosions and Fires: Keep away from flames and sources of heat. Closed containers may rupture when exposed to extreme heat. Section 5 pertains to fire-fighting measures and reactivity is addressed in section 10.

Dangerous Products of Decomposition: Oxides of carbon, oxides of nitrogen, oxides of phosphorus, hydrocarbons, traces of HCN, hydrogen chloride gas, hydrogen fluoride.

Protective Equipment: Firefighters should wear a pressure demand self-contained breathing apparatus and protective clothing.

6. Accidental release measures

Person-Related Safety Precautions: Use appropriate personal protective equipment during clean up. Evacuate and keep unnecessary people out of spill area. Avoid contact with skin and eyes.

Measures for Environmental Protection: Cover and contain spill with absorbent material. Collect for proper disposal according to local, state, and federal regulations.

Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece) clean surface thoroughly to remove residual contamination.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.







7. Handling and Storage

Information for Safe Handling: Avoid contact with eyes, skin, or inhalation. Storage Requirements: Store in dry, well ventilated area. Keep containers tightly closed. Store between 60 F-100 F. Material may settle.

Regulatory Requirements: Obey all local, state, and federal requirements.

8. Exposure Controls and Personal Protection:

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limit
Oxirane, 2-methyl-, polymer with oxirane, ether with 2,6-bis[[bis(2-hydroxyethyl)amino] methyl]-4-branched nonylphenol 940912-28-7	Not Established	Not Established	Not Established)
2-Propanol, 1-chloro-, phosphate (3:1) 13674-84-5	Not Established	Not Established	Not Established
1,1,1,3,3-Pentafluoropropane 460-73-1	Not Established	Not Established	Not Established
Triethyl phosphate 78-40-0	Not Established	Not Established	Not Established
2-(Dimethylamino)ethanol 108-01-0	Not Established	Not Established	Not Established
Diethylene glycol 111-46-6	Not Established	Not Established	Not Established

Engineering Controls: No specific measures required if proper PPE precautions are followed.

General Protective and Hygienic Measures: Usual precautionary measures should be adhered to when handling chemicals.

Personal Protective Equipment:

Respiratory Protection: In spray applications, an organic vapor/particulate respirator or air supplied unit is necessary. **Hand Protection:** Protective butyl rubber or nitrile rubber gloves.

Eye Protection: Chemical safety goggles.

Body Protection: Impervious protective work clothing. Launder separately.

Contaminated Gear: Observe local requirements. Dispose of in accordance with local/state/federal regulations.







9. Physical and Chemical Properties:

Appearance: Amber liquid
Vapor Pressure: N/A
Vapor Density: N/A
Specific Gravity: 1.15
Freezing point: N/A
Boiling range: 100 - 342 C
`Evaporation rate: N/A
Explosive Limits: N/A
Autoignition temperature: 229°C

Odor: Amine odor
Odor threshold: N/A
pH: N/A
Melting point: N/A
Solubility: N/A
Flash point: >200 F,93 C
Flammability: N/A
Partition coefficient N/A
(n-octanol/water):
Decmposition temperature: N/A

10. Stability and Reactivity:

Chemical Incompatible Materials: Avoid contact with isocyanates and strong oxidizing agents. **Hazardous Polymerization:** Not expected to occur under normal conditions.

Dangerous Products of Decomposition: Oxides of carbon, oxides of nitrogen, hydrocarbons, isocyanates, and traces of HCN.

11. Toxicological Information:

Mixture Toxicity

Oral Toxicity LD50: 2,262mg/kg Inhalation Toxicity LC50: 49mg/L

Component Toxicity

13674-84-5 2-Propanol, 1-chloro-, phosphate (3:1)

Oral LD50: 500 mg/kg (Rat) Dermal LD50: 1,230 mg/kg (Rabbit) Inhalation LC50: 5 mg/L

(Rat)

108-01-0 2-(Dimethylamino)ethanol

Oral LD50: 1,803 mg/kg (Rat) Dermal LD50: 3,000 mg/kg (Rabbit) Inhalation LC50:

1,641 ppm (Rat)

111-46-6 Diethylene glycol

Oral LD50: 1,120 mg/kg (Rat) Dermal LD50: 5,000 mg/kg (Rabbit) Inhalation LC50:

5 mg/L (Rat)

Toxicity Values Listed if Known

Acute Toxicity:

Eyes: Corrosive to eyes. **Skin:** Irritating to skin.

Inhalation: Not expected to be a route of exposure. **Ingestion:** Harmful if swallowed. Consult physician. **Chronic Effects:** Possible harmful target organ effects.







Routes of Entry: Ingestion, skin contact, eye contact.

Target Organs: Skin, eyes, kidneys

Chemicals with Known or Possible Carcinogenic Effects:

<u>CAS Number</u> <u>Description</u> <u>% Weight</u> <u>Carcinogen Rating</u>

None None

12. Ecological Information:

General Information: Based on experience, no adverse effects are to be expected if correct disposal procedures have been followed as indicated in section 13. Individual component ecotoxicity listed if known.

Component Ecotoxicity

2-Propanol, 1-chloro-, phosphate (3:1) 96 Hr LC50 Brachydanio rerio: 56.2 mg/L [static];

96 Hr LC50 Pimephales promelas: 98 mg/L [static]; 96 Hr LC50 Poecilia reticulata: 30 mg/L [static]

48 Hr EC50 Daphnia magna: 63 mg/L

72 Hr EC50 Desmodesmus subspicatus: 45 mg/L; 96 Hr

EC50 Pseudokirchneriella subcapitata: 4 mg/L

2-(Dimethylamino)ethanol 96 Hr LC50 Pimephales promelas: 81 mg/L [static]

48 Hr EC50 Daphnia magna: 98.77 mg/L

72 Hr EC50 Desmodesmus subspicatus: 35 mg/L

Diethylene glycol 96 Hr LC50 Pimephales promelas: 75200 mg/L [flow-through]

48 Hr EC50 Daphnia magna: 84000 mg/L

13. Disposal considerations

Recommendation: Observe local requirements. Dispose of in accordance with local/state/federal regulations.

Empty Container Precautions: Recondition or dispose of empty container in accordance with governmental regulations. If container is to be disposed, ensure all product residues are removed and container is empty prior to disposal.

14. Transport Information

DOT Regulated Components:

This product is not regarded as dangerous goods according to the national and international regulations on the transport of dangerous goods unless specifically cited below:

Agency Proper Shipping Name UN Number Packing Group Hazard Class

None







15. Regulatory Information:

OSHA HAZARD COMMUNICATION STANDARD: This material is classified as hazardous in accordance with OSHA 29 CFR 1910.1200.

SARA 311/312 Hazard Categories: Acute health hazard, chronic health hazard.

WARNING: This product can expose you to chemicals listed below, which are known to the State of California to cause cancer, birth defects, or reproductive harm. For more information, visit www.P65Warnings.ca.gov

Formaledhyde 50-00-0 < 1 PPM CARC Diethanolamine 111-42-2 < 1 PPM CARC Acetaldehyde 75-07-0 321 PPM CARC 1.4-Dioxane 123-91-1 321 PPM CARC

Massachusetts Right To Know List:

2-(Dimethylamino)ethanol 108-01-0 1 to 5 %

New Jersey Right To Know List:

2-(Dimethylamino)ethanol 108-01-0 1 to 5 %

Pennsylvania Right To Know List:

Diethylene glycol 111-46-6 1 to 5 %

2-(Dimethylamino)ethanol 108-01-0 1 to 5 %

SARA 302 Extremely Hazardous Substances:

- None

Chemicals subject to SARA 313 Reporting:

- None

Country Regulation All Components Listed

Canada Canada DSL Yes
US Toxic Substances Control Act Yes

16. Other Information:

Safety Data Sheet issued by Product Safety Department

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Green Shield Products. The data on these sheets relates only to the specific material designated herein. Green Shield Products. assumes no legal responsibility for use or reliance upon this data. It is the user's responsibility to ensure that their activities comply with federal, state, or local laws

Date revised: 2022-03-28 Reviewer Revision 0 Date Prepared: 03/28/2022



